



Modular Switches | Speciality Products
MCB's & Distribution Boards | Wires & Data Cables



PRICE LIST
FEB 2026



Since 1985



Salzer Electronics Limited was established in 1985 in technical collaboration with a German Industrial Switchgear manufacturing company. Today Salzer has emerged as a Leading Electrical Installation Product Manufacturer. Salzer has been at the forefront of technological advancements catering to almost all aspects of the Indoor & Outdoor Electrical requirements of the Building & Construction Industry, Industrial & Automobile component segments.

"Our Vision is to be a Global Electrical Solutions Company, most admired for its People Performance and Values".

Engineering Excellence

Manufacturing infrastructure facilities duly supported by modern techniques like TQM, TPM, Six Sigma, Lean Manufacturing & 6-S. Multi-barrier quality checks to ensure that the entire product range conforms to stringent quality parameters. Continuous up gradation at all levels by the implementation and maintenance of Total Quality Management. Quality certifications such as CB, CE, UL, CSA, S Mark on applicable range of products. Dedication to continuous product development through innovation and setting new benchmarks. A full-fledged R&D centre that is recognized by the Department of Scientific & Industrial Research Government of India. Self sufficient and a captive Tool Room, Sophisticated in-house type testing laboratory with test capacity up to 400 Amps as per various IS & IEC standards.

Switch on to the Best...



Highlights

- Market Leader in Rotary Switches business with 30% market share and largest in Asia.
- Largest producer of Cable Ducts (Wiring Channels) in Asia.
- Among the first few to comply the RoHS Directive for Environmental Friendliness.
- First in Asia to obtain CB certification for Rotary & LB Switches.
- A full fledged R&D Center recognised by dept. of scientific & industrial research Govt. of India.
- Technical Collaboration with TrafoModern - Austria for Manufacturing Dry Type Transformers.
- Technical Tie up with Metallux AG - Germany for Manufacture of Hall effect Sensors.
- More than 25% of the production are exported.
- Salzer is the only approved supplier for Nuclear Power Corporation for Rotary Switches.
- Largest Supplier to Indian Railways.



Salzer introduces a Single Window concept in outsourcing you Building Electricals.
Now every product required for your home, office or flat is available with Salzer



salzer

Salzer has a wide range of electrical products covering a variety of applications for the industrial, domestic & automobile segments. Salzer products are a preferred choice in the international market and are available across 50 countries world wide...



Product Show Case



Rotary Switches



Load Break Switches



Cable Ducts



Terminal Connectors



Photovoltaic Isolator



Contactors & OLR's



MCB's & MPCB's



Relays & Relay Modules



Limit / Foot Switches



Transformers & Chokes/
Inductors/Reactors



Toroidal
transformers
& CT's



Plugs & Sockets


Switch on to the Best...



- Underwriters' Laboratory USA (UL) • Canadian Standards Association (CSA) • Conformance Europeenne (CE)
- Semko Mark (S) • CB Approval (CB) • Restriction of Hazardous substances (RoHS)



WIRES & CABLES



IS 694

CM/L -6724173

FEATURES

- 99.9% pure ETP grade copper
- Flame Retardant
- FR-LSH
- Uniform & twin insulation for safety
- 100 % Bunching
- Better flexibility for easy wiring
- High ageing property
- Low Resistance

Salzer Wires and Cables division an ISO 9001 & IATF certified company established in the year 2006 manufactures a wide range of Domestic & Industrial Wires & Cables for various applications. Salzer has a state of the art Hi tech manufacturing setup with German machinery to produce superior quality wires and a full fledged laboratory for testing wires complying to stringent quality benchmarks as per ISI, UL, BS & IEC standards. Salzer wires and cables are accepted for its quality and durability worldwide.

Wires for life



Flame Retardant Wires-FR

[PVC Insulated Single Core with Multi strand Bright Annealed Bare Copper Conductor
Voltage Grade: 1100V Conforming to IS:694

HSN CODE : 85446090

		FR 90 Mts		FR 180 Mts	
Sq/mm	Current Rating	CODE	Std. Packing	CODE	Std. Packing
0.75	7	SHR0007PXA0	20	-	-
1	12	SHR0010PXA0	16	SFR0010PXAJ	8
1.5	16	SHR0015PXA0	10	SFR0015PXAJ	6
2.5	22	SHR0025PXA0	8	SFR0025PXAJ	4
4	29	SHR0040PXA0	5	SHR0040PXAJ	3
6	37	SHR0060PXA0	4	SHR0060PXAJ	2
10	51	SHR0100PXA0	1	SHR0100PXAJ	1
16	68	SHR0160PXA0	1	SHR0160PXAJ	1

Replace X with colour code : A-Red | B-Yellow | C-Blue | D-Green | E-Black | F-Grey | T-White



Flame Retardant Low Smoke and Halogen (FR-LSH)

[PVC Insulated Single Core with Multi strand Bright Annealed Bare Copper Conductor
Voltage Grade: 1100V Conforming to IS:694

HSN CODE : 85446090

		FR-LSH - 90 Mts		FR-LSH - 180 Mts	
Sq/mm	Current Rating	CODE	Std. Packing	CODE	Std. Packing
1	12	SHR0010SXA0	16	SHR0010SXAJ	8
1.5	16	SHR0015SXA0	10	SHR0015SXAJ	6
2.5	22	SHR0025SXA0	8	SHR0025SXAJ	4
4	29	SHR0040SXA0	5	SHR0040SXAJ	3
6	37	SHR0060SXA0	4	SHR0060SXAJ	2
10	51	SHR0100SXA0	1	SHR0100SXAJ	1
16	68	SHR0160SXA0	1	SHR0160SXAJ	1

Replace X with colour code : A-Red | B-Yellow | C-Blue | D-Green | E-Black | F-Grey | T-White



Halogen Free Flame Retardant (HFFR) Cables

Single Core Halogen Free Flame Retardant Type Unsheathed cable with Flexible Conductor
Voltage Grade: 1100V Conforming to IS:17048

HSN CODE : 85446090

HFFR Halogen Free Flame Retardant Cables - Single Core 100 Mts			
Sq/mm	Current Rating	CODE	Std. Packing
0.50	4	SZR0005PXA0	20
0.75	7	SZR0007PXA0	20
1	12	SZR0010PXA0	16
1.5	16	SZR0015PXA0	10
2.5	22	SZR0025PXA0	8
4	29	SZR0040PXA0	5
6	37	SZR0060PXA0	4
10	51	SZR0100PXA0	1
16	68	SZR0160PXA0	1

Replace X with colour code : A-Red | B-Yellow | C-Blue | D-Green | E-Black | F-Grey | T-White

Orders will be accepted only in multiples of standard packing



WIRES & CABLES

Flexible Cables

[PVC Insulated Single Core with Multi strand Bright Annealed Bare Copper Conductor
Voltage Grade: 1100V Conforming to IS:694

Flexible Cables : Single Core

HSN CODE : 85446090

100 Mtrs



Sq/mm	As per IS : 3961 Current Rating	Construction No.of strands/ Dia in mm	CODE	Standard Packing/Nos.
0.5	4	16/0.20	SFR0005PXA0	24
0.75	7	24/0.20	SFR0007PXA0	24
1	12	32/0.20	SFR0010PXA0	16
1.5	16	30/0.25	SFR0015PXA0	10
2.5	22	50/0.25	SFR0025PXA0	8
4	29	56/0.30	SFR0040PXA0	5
6	37	84/0.30	SFR0060PXA0	4
10	51	80/0.40	SFR0100PXA0	1
16	68	126/0.40	SFR0160PXA0	1
25	86	196/0.40	SFR0250PXA0	1
35	110	276/0.40	SFR0350PXA0	1
50	145	396/0.40	SFR0500PXA0	1
70	215	354/0.50	SFR0700PXA0	1
95	260	484/0.50	SFR0950PXA0	1
120	305	608/0.50	SFR1200PXA0	1
150	355	750/0.50	SFR1500PXA0	1
185	415	925/0.50	SFR1850PXA0	1

Replace X with colour code : A-Red | B-Yellow | C-Blue | D-Green | E-Black | F-Grey | T-White

Flexible Cables :

HSN CODE : 85446090



Two Core



Three Core



Four Core

Sq/mm	As per IS : 3961 Current Rating	Construction No.of strands/ Dia in mm	CODE 2 Core	CODE 3 Core	CODE 4 Core
0.5	4	16/0.2	SFR0005PXB0	SFR0005PXC0	SFR0005PXD0
0.75	7	24/0.2	SFR0007PXB0	SFR0007PXC0	SFR0007PXD0
1	12	32/0.2	SFR0010PXB0	SFR0010PXC0	SFR0010PXD0
1.5	16	30/0.25	SFR0015PXB0	SFR0015PXC0	SFR0015PXD0
2.5	22	50/0.25	SFR0025PXB0	SFR0025PXC0	SFR0025PXD0
4	29	56/0.25	SFR0040PXB0	SFR0040PXC0	SFR0040PXD0
6	37	84/0.3	SFR0060PXB0	SFR0060PXC0	SFR0060PXD0
10	51	80/0.4	SFR0100PXB0	SFR0100PXC0	SFR0100PXD0
16	68	126/0.4	-	SFR0160PXC0	SFR0160PXD0

Replace X with colour code : E-Black | F-Grey




DATA CABLES



CCTV CABLES



Salzer CCTV Cables are highly durable and provide high performance Hybrid Data transfer of Electrical and Communication signals from Camera to CCTV Surveillance equipment's Securely & Seamlessly. Our Cables are made of Flame Retardant PVC with Pure ETP Grade Copper wire , Aluminum foil Mylar, Aluminum Alloy Braiding and are RoHS compliant. Ideal for Domestic & Industrial CCTV Surveillance systems.



3 + 1 CCTV Cable



90 Mtrs
Code : CCTV3X1WHG

180 Mtrs
Code : CCTV3X1WHH

HSN CODE : 85446090

4 + 1 CCTV Cable



90 Mtrs
Code : CCTV4X1WHG

180 Mtrs
Code : CCTV4X1WHH

HSN CODE : 85446090

* Outer Sheath can also be offered in Grey replace WH with GY



LAN CABLES




Salzer LAN Cable facility is a ISO 9001 certified company with Hi-Tech manufacturing setup and sophisticated German machinery ensuring consistent Quality and highly durable wires. Features : Versatile HDPE Insulation - (Solid, Skin-Foam-Skin) • Insulation Physical foam technology and Max foaming 60% • High accuracy Lay Length and Low Noise level • Compliant with IEC 11 801, EN 50173 and ANSI standards • Automatic LF/HF measuring system for Horizontal cables.

HSN CODE : 85444999

LAN Cables	Category	Description	Std. Pack / Packaging Type	Ordering Code
	Cat 5e - 24 AWG	Solid Cable 4 pair UTP Cat 5e	305 Mtrs in Tangle Free Coil	5E 24UTP BL A
			305 Mtrs in Reel-in-Box	5E 24UTP BL B
			100 Mtrs in Coil	5E 24UTP BL C
	Cat 6 - 24 AWG	Solid Cable 4 pair UTP Cat 6	305 Mtrs in Tangle Free Coil	S6 24UTP BL A
			305 Mtrs in Reel-in-Box	S6 24UTP BL B
			100 Mtrs in Coil	S6 24UTP BL C
	Cat 6 - 23 AWG	Solid Cable 4 pair UTP Cat 6	305 Mtrs in Tangle Free Coil	S6 23UTP BL A
			305 Mtrs in Reel-in-Box	S6 23UTP BL B
			100 Mtrs in Coil	S6 23UTP BL C

* 500 Mtrs / 1000 Mtrs Rolls can also be supplied

* Shielded & Aluminum Foiled Cables available on request. Std. Outer Sheathing Colour is Blue other colours can also be supplied MOQ 3000 Mtrs



CERTIFICATIONS



SWITCHES: IS 3854



MCB: IS 60898



WIRES: IS:694

ATTACHMENT TO LICENCE NO. CML-641173			
CMLNO	NAME OF THE LICENSEE WITH THE FACTORY ADDRESS	NAME OF THE PRODUCT	INDIAN STANDARD NO.
6724173	M/s. SALZER ELECTRONICS LIMITED, UNIT IV, SF NO. 063, BETTATHAPURAM, KARAMADAI POST, COIMBATORE-641104.	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/Cords with Rigid and Flexible Conductor for Rated voltages upto and including 1100 V	IS 694:2010

ENDORSEMENT NO. 22 DATED 25 JUL 2019

Whereas, the licence was valid up to Thirty-First July Two Thousand and Nineteen, Now, consequent upon renewal, the validity of the licence given in endorsement No.19 has been extended from First August Two Thousand and Nineteen to Thirty First July Two Thousand and Twenty.

Other terms and conditions of Licence remain the same.

K. Ramesh
K. Ramesh
K. Ramesh

For Latest certificates please write to us at sales3@salzergroup.com



ISO 9001QMS | ISO 14001EMS | OHSAS 18001



For Product Enquiries  **1800 1030 161**

salzer

SALZER ELECTRONICS LIMITED

Samichettipalayam, Coimbatore - 641 047, India

Ph: +91 422 4233600 Email: sales3@salzergroup.com

Customer Care Ph: +91 422 4233636 Email: service@salzergroup.com

www.salzergroup.com

Guarantee :

The company undertakes to replace or repair at its discretion products should they become defective solely as a result of any manufacturing defects for

- a) Mechanical Modules - Switches & Sockets, Bulb Holders in White 10 years
- b) Electronic products - Fan Regulators, Dimmers, USB Socket, Communication Sockets (Computer, Telephone, TV, Audio / Video) Modular MCB's, RCCB, ACCL, Speciality products, DB Boxes & LED Indicator Switches upto 1 year
- c) Coated Products - Decorative Colour Plates, Glass Plates, Switches Sockets & accessories with Surface coating 1 year
- d) MCB & Isolator upto 3 years

The guarantee will be valid only if installation procedures / maintenance is carried out by qualified professional electrician. The Guarantee stands nullified if the product is tampered, dismantled or altered or if the original mounting boxes have not been used in conjunction with the accessories. The guarantee does not extend to cover consequential loss or damage or installation cost arising from the defective product. Replacement shall be carried out with design of the products prevailing at that point of time.

Product development is a continuous process & hence the data / prices given are subject to change without prior notice. Disputes if any are subject to Coimbatore jurisdiction only.

This price list supercedes all earlier ones.